Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: V-TAC

Supplier's address: V-TAC Europe Ltd., bul. Rozhen 41, Sofia, BG

Model identifier: 6870

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	+ve and -ve (be- cause strips are DC voltage and have black and red wires)		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers

Product parameters Parameter Value Parameter Value **General product parameters:** F Energy consumption in on-7 Energy efficiency mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-580 in Correlated colour 6 4 0 0 Sphere (360°) dicating if it refers to the flux in temperature, a sphere (360°), in a wide cone rounded to the near-(120°) or in a narrow cone (90°) est 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 6,0 Standby power (P_{sb}), 0,00 On-mode power (P_{on}), exexpressed in W and pressed in W rounded to the second decimal Networked standby power Colour rendering in-80 (P_{net}) for CLS, expressed in W dex, rounded to the nearest integer, or and rounded to the second decthe range of CRI-valimal ues that can be set

Outer dimen-	Duter dimen- Height	25	Spectral power dis-	See image		
sions without	Width	25	tribution in the	in last page		
separate con- trol gear, light- ing control parts and non- lighting con- trol parts, if any (millime- tre)	Depth	500	range 250 nm to 800 nm, at full-load			
Claim of equivalent power ^(a)		-	If yes, equivalent power (W)	-		
			Chromaticity coordi-	0,311		
			nates (x and y)	0,332		
Parameters for LED and OLED light sources:						
R9 colour rendering index value		21	Survival factor	1,00		
the lumen maintenance factor		0,96				
(2)						

(a)'-' : not applicable;

(b)'-' : not applicable;

